

12-22-99

A

12/21/99

09/468155  
12/21/99

Please type a plus sign (+) inside this box ☒

Approved for use through 09/30/2000. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. 15-16-5295  
First Inventor or Application Identifier Grant  
Title Enterprise-Wide Data Access Techniques  
Express Mail Label No. EL282684914US

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

- ☒ \* Fee Transmittal Form (e.g., PTO/5B/17)  
(Submit an original and a duplicate for fee processing)
- ☒ Specification [Total Pages 12]  
(preferred arrangement set forth below)
  - Descriptive title of the invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the invention
  - Brief Summary of the invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
- ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 2]
- ☒ Oath or Declaration [Total Pages 5]
  - ☒ Newly executed (original or copy)
  - ☐ Copy from a prior application (37 C.F.R. § 1.63(d))  
(for continuation/divisional with Box 16 completed)
    - ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

\* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:  
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. \_\_\_\_\_  
Prior application information: Examiner \_\_\_\_\_ Group / Art Unit: \_\_\_\_\_

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

## 17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) or ☒ Correspondence address below

Name Ronald E. Larson  
McAndrews, Held & Malloy, Ltd.  
Address 500 W. Madison St., 34th Floor  
City Chicago State Illinois Zip Code 60661  
Country U.S.A. Telephone 312/775-8119 Fax 312/775-8100

Name (Print/Type) Ronald E. Larson Registration No. (Attorney/Agent) 24, 478  
Signature Ronald E. Larson Date 12/21/99

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

09468155-122199

## ENTERPRISE-WIDE DATA ACCESS TECHNIQUES

## BACKGROUND OF THE INVENTION

This invention relates to picture archiving and communications, and more particularly relates to apparatus and methods which provide access to data stored in multiple image storage units at different locations.

Current picture archiving and communication systems (PACS) operate with individual data bases for images, reference data, and so forth, for each individual site or short-term storage (STS) location. While STS's may be linked, such as in large institutions or hospitals having branches and related organizations, the data bases are nevertheless maintained independently and can only be accessed through a network connection between the STS's. As a result, a user must have knowledge of an image or a data location and perform a query of the system in order to locate a desired image or data. The present invention addresses this problem and provides a solution.

## BRIEF SUMMARY OF THE INVENTION

The preferred embodiment is useful in a picture archiving and communication system and includes techniques for locating and accessing image data stored on a first image storage unit at a first location and a second image stored at unit at a second location. The data is created by generating at a first location first imaging data resulting from a first patient and first identification data identifying the first imaging data. First stored image data is stored on the first image storage unit in response to the first imaging data and first stored identification data is stored at the first location in response to the first identification data. The stored identification data preferably is stored on a server located at the first location. Second imaging data resulting from a second patient is generated at the second location, as well as second identification data identifying the second imaging data. Second stored image data is stored on the second image storage unit in response to the second imaging data, and second stored identification data is stored at the first location in response to the second identification data. The second stored identification data preferably is stored on the server located

at the first location. The first and second identification data are viewed at the first location by accessing the first and second stored identification data at the first location. At least a first request for transmittal of the second stored image data from the second image storage unit to the first location is made. A second image is created  
5 in response to the second stored image data transferred to the first location from the second image storage unit. The first and second identification data also are viewed at the second location by accessing the first and second stored identification data stored at the first location. A second request for transmittal of the first stored image data from the first image storage unit to the second location also is made. A first image is  
10 created at the second location in response to the first stored image data transferred to the second location from the first image storage unit.

The creation and viewing of the images preferably is done on work stations located at the first and second locations. The storage of the first and second stored identification data is accomplished preferably by first and second interface units  
15 located at the first and second locations.

By using the foregoing techniques, the invention alleviates the need to search various data bases for information relating to images on examinations between linked PACs systems and short-term storage for such systems. The invention simplifies access to the information and offers additional flexibility both in storage and in use of  
20 images.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a schematic blocked diagram of a preferred form of the invention employing a high speed network for transmitting data between image storage units at different locations.

25 Figure 2 is a schematic block diagram like Figure 1 employing a low speed network and incorporating image transfer servers in order to transmit data between information storage units at different locations.

## DETAILED DESCRIPTION OF THE INVENTION

Referring to Figure 1, a preferred form of the invention includes a group of components located at a first location 1 such as a hospital, and a group of components located at a second location 1A, such as a clinic which may be several miles from the hospital. The components in locations 1 and 1A are interconnected by a highspeed network 10, such as an ATM network operating at about 155 megabytes per second.

Referring to location 1, a computed tomography unit (CT) 20 images a patient and provides imaging data as well as identification data which is transmitted over network 10 to a modality interface unit 30. The identification data may include the name of the patient, as well as the time and circumstances of the imaging and various identification numbers established by the hospital for identifying the imaging data.

Additional imaging data may be provided by a magnetic resonance imaging device (MR) 22 which also supplies identification data similar to CT 20. The imaging and identification data from MR unit 22 also is transmitted to MIU 30.

MIU 30 sends the identification data through network 10 to an information management server (IMS) 40 which stores the information in any convenient form, including compressed form. MIU 30 compresses the image data and transmits it via network 10 to ISU 50.

Additional identification data which helps to identify image data also may be provided by a conventional radiology information system (RIS) interface 24. The information from interface 24 also is transmitted over network 10 to IMS 40 for storage and integration with other identification data. One feature of the invention is that a single IMS for identification data is provided for the entire system at both locations 1 and 1A.

Conventional work stations 60 are located at various departments in the hospital in order to view images resulting from the image data and the identification data.

From time to time image data is transmitted from ISU 50 over network 10 to a conventional archive storage unit 70.

At location 1A, components like those described in connection with location 1 also are provided. The corresponding components of location 1A are indicated by the letter A following the identification numeral.

In operation, imaging data resulting from the imaging of a patient, as well as identification data identifying the imaging data, are received from CT 20 and MR 22 through network 10 by MIU 30. MIU 30 transmits the identification data to IMS 40 for storage. MIU 30 also compresses the image data and transmits it to ISU 50.

At location 1A, CT 20A, MR 22A, MIU 30A, and ISU 50A operate in the same manner previously described for the foregoing components at location 1. However, all identification data is stored in IMS 40 located at location 1. The image data from location 1 is stored in ISU 50, whereas the image data created at location 1A is stored in ISU 50A.

In order to view image data stored either on ISU 50 or ISU 50A, a user at the hospital may use any of workstations 60 in order to access the identification data in IMS 40 over network 10. In a well known manner, the identification data is organized by a convenient means, such as alphabetical order or numerical order so that the image data desired for viewing may be quickly identified from the identification data. The user at the work station then causes the work station to transmit a request to ISU 50 and/or ISU 50A for desired image data. The user at one of work stations 60 does not necessarily know the location at which the image data is stored. In response to the request, ISU 50 and/or ISU 50A causes data to transmit to one of work stations 60 for viewing by the user.

After the desired image data is transmitted to one of work stations 60, the work station converts the data into a viewable image which can be interpreted by the user.

Viewing of an image resulting from image data stored in ISU 50 from one of work stations 60A operates in a similar manner. Work stations 60A are able to view the identification data stored in IMS 40 over network 10 until the desired image data is located. One of work stations 60A then generates a signal which requests the desired image data from ISU 50 over network 10 to one of workstations 60A. At one of work stations 60A, the desired image data is converted into an image viewable by the user.

Fig. 2 shows components like those illustrated in Fig. 1 by like numbers. Fig. 2 differs from Fig. 1 in that a low speed network 5 is used in place of high speed network 10. Network 5 may comprise, for example, a T1 telephone line. Because of the slow speed of network 5, image data transfers between locations 1 and 1A are handled by an image transfer server (ITS) 80 at location 1 and a corresponding image transfer server (ITS) 80A at location 1A.

In order for a user at one of work stations 60 to access image data stored on ISU 50A, the user causes the work station to interrogate the identification data in IMS 40 in order to locate the desired image data. The work station then causes a request signal to be sent to IMS 40 which, in turn, requests the desired image data from ISU 50A over network 5. The actual transfer of data takes place from ISU 50A to ISU 50 over network 5 via ITS 80 and ITS 80A in a well known manner. After the information is fetched to ISU 50, the image data is transferred over network 5 to one of work stations 60.

Work stations 60A operate in a similar manner in that they view the identification data in IMS 40 in order to select the desired image data which may be stored in ISU 50. A request is sent from one of work stations 60A to IMS 40, which, in turn, causes the desired image data to be transmitted over network 5 by means of ITS 80 and ITS 80A into ISU 50A. Once the desired image data is located in ISU 50A, it may be quickly transmitted to one of work stations 60A for creation of an image for review by the user.

Examples of CT 20, MR 22 and RIS interface 24 are well known to those skilled in the art. An example of MIU 30 is model number 2223612 manufactured by General Electric Company. An example of IMS 40 is model number 2244014 manufactured by General Electric Company. An example of ISU 50 is model number 2223622 manufactured by General Electric Company. Work station 60 and archive 70 are also well known in the art. An example of ITS 80 is model number 2244004 manufactured by General Electric Company.

Those skilled in the art will recognize that the preceding has described the preferred embodiments which may be altered and modified without departing from the true spirit and scope of the invention as defined in the appended claims.

## WHAT IS CLAIMED IS:

1. In a picture archiving and communication system, apparatus for locating and accessing image data stored on a first image storage unit at a first location and a  
5 second image storage unit at a second location comprising in combination:

a network extending between the first and second locations;

a server located at the first location and connected to facilitate transfer of data between the first image storage unit and the second image storage unit through the network;

10 a first imaging device located at the first location and connected to generate for transmission on the network first imaging data resulting from a first patient and first identification data identifying the first imaging data;

a first interface unit located at the first location and arranged to store first stored image data on the first image storage unit in response to the first imaging data and  
15 to store first stored identification data on the server in response to the first identification data;

a second imaging device located at the second location and connected to generate for transmission on the network second imaging data resulting from a second patient and second identification data identifying the second imaging data;

20 a second interface unit located at the second location and arranged to store second stored image data on the second image storage unit in response to the second imaging data and to store second stored identification data on the server in response to the second identification data;



a first workstation located at the first location and connected to create a first image in response to the first stored image data, to create a second image in response to the second stored image data, to view said first and second identification data by accessing said first and second stored identification data in the server through said network and to transmit at least a first request for the second stored image data from the second image storage unit resulting in transfer of the second stored image data from the second image storage unit so that said second image can be created at the first workstation; and

a second workstation located at the second location connected to create a third image in response to the first stored image data, to create a fourth image in response to the second stored image data, to view said first and second identification data by accessing said first and second stored identification data in the server through said network and to transmit at least a second request for the first stored image data from the first image storage unit resulting in transfer of the first stored image data from the first image storage unit so that said first image can be created at the second workstation.

2. Apparatus, as claimed in claim 1, wherein said network comprises a high-speed network.

3. Apparatus, as claimed in claim 2, wherein said network comprises an ATM network.

4. Apparatus, as claimed in claim 1, wherein said network comprises a slow-speed network and wherein said apparatus further comprises a first image transfer server located at said first location and a second image transfer server located at the second location, the first and second image transfer servers being connected to transfer the first

stored image data to the second image storage unit through the network and to transfer the second stored image data to the first image storage unit through the network.

5. Apparatus, as claimed in claim 4, wherein the network comprises a T-1 telephone line.

5 6. Apparatus, as claimed in claim 1, and further comprising a radiology information system and wherein a portion of the first identification data is provided by the radiology information system.

7. Apparatus, as claimed in claim 1, wherein the first imaging device comprises a computed tomography unit.

10 8. Apparatus, as claimed in claim 7, wherein the second imaging device comprises a magnetic resonance imaging device.

9. In a picture archiving and communication system comprising a first image storage unit at a first location and a second image storage unit at a second location, a method of locating and accessing image data stored on said first and second storage units  
15 comprising in combination:

generating at the first location first imaging data resulting from a first patient and first identification data identifying the first imaging data;

storing first stored image data on the first image storage unit in response to the first imaging data and storing first stored identification data at the first location in  
20 response to the first identification data;

generating at the second location second imaging data resulting from a second patient and second identification data identifying the second imaging data;

storing second stored image data on the second image storage unit in response to the second imaging data and storing second stored identification data at the first location in response to the second identification data;

viewing at the first location said first and second identification data by  
5 accessing said first and second stored identification data at the first location;

transmitting at least a first request for transmittal of the second stored image data from the second image storage unit to the first location;

creating at the first location a second image in response to the second stored image data transferred to the first location from the second image storage unit;

10 viewing at the second location said first and second identification data by accessing said first and second stored identification data stored at the first location;

transmitting at least a second request for transmittal of the first stored image data from the first image storage unit to the second location; and

creating at the second location a first image in response to the first stored  
15 image data transferred to the second location from the first image storage unit.

10. A method, as claimed in claim 9, wherein said transmittals occur on a high-speed network.

11. A method, as claimed in claim 10, wherein said network comprises an  
20 ATM network.

12. A method, as claimed in claim 9, wherein said transmittals occur on a slow-speed network.

13. A method, as claimed in claim 12, wherein the network comprises a T-1 telephone line.

14. A method, as claimed in claim 9, and further comprising a radiology information system and wherein a portion of the first identification data is provided by the radiology information system.

15. A method, as claimed in claim 9, wherein said generating at the first  
5 location first imaging data comprises computed tomography imaging.

16. A method, as claimed in claim 15, wherein said generating at the second location second imaging data comprises magnetic resonance imaging.

## ENTERPRISE-WIDE DATA ACCESS TECHNIQUES

## ABSTRACT OF THE DISCLOSURE

Accessing image data stored in a first storage unit (50) at a first location (1) and a second storage unit (50A) at a second location (1A) is provided by a common server (40) located at location 1. Available imaging data is selected by work stations (60 or 60A) based on the identification data stored in server (40). Selected imaging data is then transferred to a work station from either of the storage units located at the different locations. In case a low speed network is used, transmission of the data from one location to another is facilitated by image transfer servers (80 and 80A).

Fig. 1





Fig. 2



**COMBINED DECLARATION AND  
POWER OF ATTORNEY FOR PATENT APPLICATION**

As the below named inventors, we hereby declare that:

Our residence, post office address and citizenship are as stated below next to our names.

We believe we are the original, first and joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled

**ENTERPRISE-WIDE DATA ACCESS TECHNIQUES**

the specification of which is attached hereto.

We hereby state that we have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

We acknowledge the duty to disclose to the United States Patent and Trademark Office all information which we know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

We hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below. We have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

Number   Country   Day/Month/Year Filed   Is Priority Claimed?

None

We hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below.

Application Number   Filing Date

None



We hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below. Insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

Serial No.   Filing Date   Patented, Pending, or Abandoned?

None

We hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Christian G. Cabou	Reg. No. 35,467
Phyllis Y. Price	Reg. No. 34,234
Ronald E. Myrick	Reg. No. 26,315
Henry J. Policinski	Reg. No. 26,621
Jay L. Chaskin	Reg. No. 24,030
George P. McAndrews	Reg. No. 22,760
John J. Held	Reg. No. 21,061
Timothy J. Malloy	Reg. No. 25,600
William M. Wesley	Reg. No. 26,521
Lawrence M. Jarvis	Reg. No. 27,341
Gregory J. Vogler	Reg. No. 31,313
Jean Dudek Kuelper	Reg. No. 30,171
Herbert D. Hart III	Reg. No. 30,063
Robert W. Fieseler	Reg. No. 31,826
D. David Hill	Reg. No. 35,543
Thomas J. Wimbiscus	Reg. No. 36,059
Steven J. Hampton	Reg. No. 33,707
Priscilla F. Gallagher	Reg. No. 32,223
Stephen F. Sherry	Reg. No. 30,590
Patrick J. Arnold Jr.	Reg. No. 37,769
George Wheeler	Reg. No. 28,766
Janet M. McNicholas	Reg. No. 32,918
Ronald E. Larson	Reg. No. 24,478
Christopher C. Winslade	Reg. No. 36,308
Edward A. Mas II	Reg. No. 37,179
Gregory C. Schodde	Reg. No. 36,668
Edward W. Remus	Reg. No. 25,703
Donald J. Pochopien	Reg. No. 32,167
Sharon A. Hwang	Reg. No. 39,717
David D. Headrick	Reg. No. 40,642

Dean D. Small	Reg. No. 34,730
Alejandro Menchaca	Reg. No. 34,389
Kirk A. Vander Leest	Reg. No. 34,036
Richard T. McCaulley, Jr.	Reg. No. 41,977
Paul L. Rodriguez	Reg. No. 40,788
Anthony E. Dowell	Reg. No. 39,661
Peter J. McAndrews	Reg. No. 38,547
Michael B. Harlin	Reg. No. 43,658
Jonathan R. Sick	Reg. No. 43,920
Krista S. Schwartz	Reg. No. 42,134
Eligio C. Pimentel	Reg. No. 42,076
John F. Nethery	Reg. No. 42,928
Stephen H. Bean	Reg. No. 41,607
Alison L. Pollock	Reg. No. 43,863
James Nuttall	Reg. No. P-44,978
James P. Murphy	Reg. No. 40,741
Dean Pelletier	Reg. No. P-45,007
Joseph M. Barich	Reg. No. 42,291
Tiffany M. Brooks	Reg. No. P-44,564
Scott P. McBride	Reg. No. 42,853
Patricia Jane McGrath	Reg. No. P-44,919
Andrew M. Everest	Reg. No. P-44,674
Christopher V. Carani	Reg. No. 44,049

Address all telephone calls to Ronald E. Larson at telephone number:

(312) 707-8889.

Address all correspondence to:

Ronald E. Larson  
McAndrews, Held & Malloy, Ltd.  
34th Floor  
500 W. Madison Street  
Chicago, Illinois 60661

We hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

This declaration names 6 inventor(s) below.

---

Information about the first inventor:

(given name, family name): Robert S. Grant  
Residence: 1041 Pember Circle  
West Dundee, IL 60118

Citizenship: U.S.A.  
Post Office Address: Same

First inventor's signature: Robert S. Grant

Date Signed: 12/7/99

---

Information about the second inventor:

(given name, family name): Marc B. Stanis  
Residence: 1167 Sussex Lane  
Wheaton, IL 60187-8524

Citizenship: U.S.A.  
Post Office Address: Same

Second inventor's signature: Marc B. Stanis

Date Signed: 12/7/99

---

Information about the third inventor:

(given name, family name): Vinh Truong  
Residence: 816 Simpson, Apt. 2b  
Evanston, IL 60201

Citizenship: U.S.A.  
Post Office Address: Same

Third inventor's signature: Vinh Truong

Date Signed: 10 DEC 99

---

Information about the fourth inventor:

(given name, family name): Robert C. Gemperline

Residence: 710 Chestnut Ct.  
Algonquin, IL 60102

Citizenship: U.S.A.  
Post Office Address: Same

Fourth inventor's signature: Robert C. Gemperline  
Date Signed: December 2, 1999

---

Information about the fifth inventor:

(given name, family name): Mark James Niggemann

Residence: 640 N. Clark Drive  
Palatine, IL 60067

Citizenship: U.S.A.  
Post Office Address: Same

Fifth inventor's signature: Mark James Niggemann  
Date Signed: December 7, 1999

---

Information about the sixth inventor:

(given name, family name): Kumar Ramachandran

Residence: 4625 Beau Bien Blvd., #65  
Lisle, IL 60532

Citizenship: India  
Post Office Address: Same

Sixth inventor's signature: K. Ramachandran  
Date Signed: December 7, 1999